

IN THE CLAIMS:

Please amend the claims as shown below. The claims, as pending in the subject application, read as follows:

1. (Currently Amended) A method of offering a service provided by a server computer in a communication network, comprising:

sending, from the server computer that provides the service to a client computer, a service description document, which is independent of any client or user characteristic, defining the type of data exchanged between said server and any client when said service is executed, the document comprising a description of a processing functionality implemented during a preprocessing or post-processing of data in XML format of a message exchanged during the execution of said service on the communication network.

2. (Previously Presented) The method according to Claim 1, wherein said processing functionality defines processings adapted to produce or use data in XML format defined in a first abstract part of the service description document.

3. (Previously Presented) The method according to Claim 2, wherein the description of said processing functionality is inserted in said first abstract part of the service description document.

4. (Previously Presented) The method according to Claim 1, wherein said preprocessing or said post-processing is implemented via a script language.

5. (Previously Presented) The method according to Claim 1, wherein said processing functionality is defined as a data item in XML format in a first abstract part of the service description document.

6. (Previously Presented) The method according to Claim 5, wherein said data item in XML format defining said processing functionality is encoded in a second concrete part of the service description document.

7. (Previously Presented) The method according to Claim 1, wherein the description of said processing functionality comprises a list of properties supported by said processing functionality, said properties defining at least respectively:

the node in the communication network adapted to execute said processing;
and
the type of processing.

8. (Previously Presented) The method according to Claim 7, wherein said processing functionality also comprises a property adapted to specify whether said processing is carried out on the sending or reception of said message.

9. (Previously Presented) The method according to Claim 7, wherein said processing functionality also comprises a property adapted to specify the message or a set

of messages to which said processing applies.

10. (Previously Presented) The method according to Claim 7, wherein said processing functionality also comprises a property adapted to define the data produced or used by said processing, and may also include the type of said data.

11. (Previously Presented) The method according to Claim 7, wherein the description of said processing functionality comprises a property adapted to specify whether the processing to be carried out is obligatory or optional.

12. (Previously Presented) The method according to Claim 7, wherein, for at least one property supported by said processing functionality, the description of said processing functionality comprises a list of values attributable to said property.

13. (Currently Amended) A method of testing access to a service by a client computer in a communication network, from a service description document, comprising the following steps implemented by said client computer:

extracting from said service description document, provided by a server computer offering said service, a description of a processing functionality implemented during a preprocessing or the post-processing of data in XML format of a message exchanged during the execution of the service on the communication network;

reading, from the extracted description of said processing functionality, a value associated with a property adapted to specify a node in the communication network

adapted to execute the processing;

reading, from the extracted description of said processing functionality, a
value of a property adapted to specify whether the processing is obligatory or optional; and

verifying whether the processing is supported by the client computer in the
communication network when said processing is obligatory and must be executed by said
client computer in the communication network.

14. (Currently Amended) A method of validating a message received by an
intermediate computer in a communication network, from a service description document
comprising a description of a processing functionality implemented during a preprocessing
or the post-processing of data in XML format of the message exchanged during the
execution of a service on the communication network, comprising the following steps:

acquiring the message at the intermediate computer;

extracting, from the service description document, the description of a
service associated with the document;

~~extracting from said service description document~~ a processing from the
received message;

acquiring from said service description document at least one imperative
value associated with a property of the processing; and

verifying whether said imperative value is included in a list of values which
can be attributed to a property supported by said processing functionality described in the
service description document.

15. (Previously Presented) The method according to Claim 14, further comprising the following steps:

reading a value associated with a property adapted to specify whether the processing is executed before or after the sending of said message; and

executing said processing when said value is adapted to specify that the processing must be executed before the sending of the message.

16. (Currently Amended) A device for offering a service provided by a server computer in a communication network, comprising:

sending means for sending, from the server computer that provides the service to a client computer, a service description document, which is independent of any client or user characteristic, defining the type of data exchanged between said server and any client when said service is executed, comprising a description of a processing functionality implemented during a preprocessing or post-processing of data in XML format of a message exchanged during the execution of the service on the communication network.

17. (Currently Amended) A device for testing access to a service by a client computer in a communication network, from a service description document, implemented by said client computer, comprising:

extracting means for extracting from said service description document, provided by a server computer offering a service, a description of a processing functionality implemented during a preprocessing or a post-processing of data in XML

format of a message exchanged during the execution of the service on the communication network;

first reading means for reading, from the extracted description of said processing functionality, a value associated with a property adapted to specify a terminal in the communication network adapted to execute the processing;

second reading means for reading, from the extracted description of said processing functionality, a value of a property adapted to specify whether the processing is obligatory or optional; and

verifying means for verifying whether the processing is supported by the client computer in the communication network when this processing is obligatory and must be executed by the client computer in the communication network.

18. (Currently Amended) A device for validating a message received by an intermediate computer in a communication network, from a service description document comprising a description of a processing functionality implemented during a preprocessing or a post-processing of data in XML format of the message exchanged during the execution of a service on the communication network, comprising:

acquiring means for acquiring the message by the intermediate computer;

extracting means for extracting, from the service description document, a description of a service associated with the document;

extracting means for extracting ~~from said service description document~~ a processing from ~~[[a]]~~ the received message;

acquiring means for acquiring, from said service description document, at

least one imperative value associated with a property of the processing; and

verification means for verifying whether the imperative value is included in a list of values which can be attributed to a property supported by the functionality described in the service description document.

19. (Previously Presented) A server computer in a communication network, comprising means adapted to implement the method of offering a service according to Claim 1.

20. (Previously Presented) A client computer in a communication network, comprising means adapted to implement the method of testing access according to Claim 13.

21. (Previously Presented) A computer in a communication network, comprising means adapted to implement the method of validating a message according to Claim 14.

22. (Previously Presented) A computer-readable storage medium on which is stored a computer executable program to implement the method of offering a service according to Claim 1.

23. (Previously Presented) A computer-readable storage medium on which is stored a computer executable program to implement the method of testing access

according to Claim 13.

24. (Previously Presented) A computer-readable storage medium on which is stored a computer executable program to implement the method of validating a message according to Claim 14.